

Prohibited Dangerous Goods

Some commodities cannot be accepted for transport by air, sea or roads under general conditions.

Examples listed below:

Class 1 – Explosives

- Ammunition
- Flares
- Fireworks

Class 2 – Flammable gases

- Oxygen
- Acetylene
- LPG

Class 3 – Flammable liquids

- Petrol
- Paints
- Turpentine

Class 4 – Miscellaneous

- Matches
- Magnesium
- Phosphorous
- Methylated spirits
- Methane Black
- Flammable solids
- Scuba tanks
- Fully automotive weapons
- Aerosol cans



- Gas cylinders
- Explosive devices
- Life rafts
- Butane lighters/refills

- Home soft drink makers

Class 5 – Oxidising substances

- Calcium Hypochlorite
- Ammonium Nitrate
- Sodium Nitrate
- Hydrogen Peroxide (Fire lighter powder)

Class 6 – Poisonous and toxic substances

- Pesticides
- Weed Killers
- Photographic developers
- Arsenic

Class 7 – Corrosive Substances

- Oxides
- Caustic Soda
- Hydrochloric acid
- Sulphuric acid

Class 8 – Radioactive Materials

- Wet batteries

Class 9 – Fire Arms

- Military weapons

Dangerous Goods

I.T.S

Items, which are not eligible for removal ...

The following list details certain items which I.T.S Removals is prevented by law from carrying.

Some items also need preparation before we can move them – we are legally not permitted to do this for you.



149 Holbrooks Road, Underdale, South Australia 5032.
Telephone: (08) 8354 5700 Fax: (08) 8351 8492
www.its-moving.com.au
Email: info@its-moving.com.au



Some items can be moved, but have to be properly prepared before they are loaded on our vehicles. Items that fit these criteria are listed below:

All **Gas Cylinders** (LP) must be emptied prior to transportation, and must be accompanied by a certificate Supplied by a gas cylinder test centre. Documentation must state that the cylinder is gas-free and empty. (Please check your Yellow Pages for "Gas Cylinder Testing Centres").

AFRA has always advocated via training that LP Gas Cylinders must be emptied prior to transportation.

Dangerous Goods Regulations states that such goods must not be transported in an enclosed freight container, enclosed vehicle or enclosed compartment of a vehicle unless the vehicle is ventilated to prevent the build up of vapours that are likely to increase risk.

Despite this warning under the Australian Dangerous Goods Code, LP Gas, which is packed in a cylinder, may be transported so long as the cylinder is gas free and empty and a certificate has been issued from a Gas Cylinder Test Station certified by Standards Australia stating that it is empty.

Details relative to Test Stations can be obtained from the Yellow Pages in your state or check with Standards Australia on telephone number 1300 65 46 46 for details.

Please ensure this practice is adopted in your workplace immediately.

Lawnmowers & gardening equipment should have the petrol drained from the tanks. If you are sending these items interstate or into store they will need to be reasonably clean.

Pool Chemicals – cannot be transported by I.T.S. Removals

Fire Extinguishers– cannot be transported by I.T.S. Removals

Pot Plants, I.T.S Removals are able to transport most pot plants providing they are potted and can be easily moved by our Removalists.

Please be aware that some states have strict agricultural laws on the importation of plants and soil. You should seek advice from your Moving Consultant if you wish to move any pot plants.

Animals, cannot be transported in a removals vehicle.

www.its-moving.com.au

Remember to have your Gas Cylinder professionally emptied and certified prior to removal.



Testing stations:

Adelaide Fire Control 501-503 South Road, Ashford Ph: (08) 8371 4833	Autogas Cylinder Test Station 1 Warwick Street, Enfield SA Ph: (08) 8359 4922
Maxbilt Trading Co. 30 Beulah Road, Norwood SA Ph: (08) 8363 1955	Thomas Gas 42 Churinga Road, Aldgate SA Ph: (08) 8339 2388
Kube's Mobile Gas Testing 59 South Road, Hindmarsh SA Ph: (08) 8346 7184	A Lovato Cylinder Re-Test 15 McInnes Street, Ridleyton SA Ph: (08) 8340 2366
Mega Gas Australia 12 / 47 O'G Road, Klemzig SA Ph: (08) 8369 1550	Kaymine Pty Ltd 17 Meyer Road, Lonsdale SA Ph: (08) 8384 5474